

## CONTENTS TO VOLUME 135

## Review Letter

- On the function of multiple subunits of cytochrome *c* oxidase from higher eukaryotes, *B. Kadenbach, P. Merle* 1

## Research Letters

- Gene deletion and partial deficiency of the glutathione *S*-transferase (ligandin) system in man, *P. G. Board* 12
- 500 MHz <sup>1</sup>H NMR study of the role of lysines and arginines in the binding of gene-5 protein to oligoadenylic acids, *N. C. M. Alma, B. J. M. Harmsen, C. W. Hilbers, G. van der Marel, J. H. van Boom* 15
- Dissociation of proteins from *Escherichia coli* ribosomes after dimethylmaleic anhydride treatment. Effects of elongation factor G and antibiotics, *J. A. Pintor-Toro, A. López-Rivas, F. Hernández, E. Palacián* 21
- Astroglial filament and fibroblast intermediate filament proteins in cytoskeletal preparations from spinal cord and optic nerve, *K. Yokoyama, H. Mori, M. Kurokawa* 25
- Agonist-induced desensitization of  $\beta$ -adrenergic receptors in rat myometrium, *Z. Tanfin-Tougui, L. Do-Khac, S. Harbon* 31
- Mild alkaline borohydride treatment liberates *N*-acetylglucosamine-linked oligosaccharide chains of glycoproteins, *M.-L. Rasilo, O. Renkonen* 38
- Biochemical characterization of murine bone marrow GP71, *N. Rubio* 43
- The role of Mg<sup>2+</sup> and Ca<sup>2+</sup> in the direct macrophage-mediated tumor cell lysis, *J.-F. Jeannin, O. Olsson, F. Martin* 49
- Phospholipid distribution in human En(a-) red cell membranes which lack the major sialoglycoprotein, glycophorin A, *G. van Meer, C. G. Gahmberg, J. A. F. op den Kamp, L. L. M. van Deenen* 53
- The polyribosomal poly(A)-binding protein is highly conserved in vertebrate species: Comparison in duck, mouse and rabbit, *N. Standart, A. Vincent, K. Scherrer* 56
- Primate placental alkaline phosphatase, *G. J. Doellgast, S. C. Wei, M. Kennedy, H. Stills, K. L. Benirschke* 61
- Isolation of an immunologically pure preparation of carbamylphosphate synthetase (ammonia) using chromatofocusing, *P. McIntyre, N. Hoogenraad* 65
- The NH<sub>2</sub>-terminal amino acid sequence of cellular retinoic-acid binding protein from rat testis, *U. Eriksson, J. Sundelin, L. Rask, P. A. Peterson* 70
- Electrophoresis of ligands over a surface coated with a binding receptor: A novel methodological principle for electroimmunoassays, *H. Nygren, M. Stenberg* 73
- Absence of H1<sup>o</sup> from quiescent chicken cells, *B. J. Smith, Y. Cook, E. W. Johns, R. A. Weiss* 77
- Lysosomal origin of chicken erythrocyte nuclear protease, *G. Lindsey, P. Thompson, C. von Holt* 81
- The occurrence of sperm isohistones H2B in single sea urchins, *M. Strickland, W. N. Strickland, C. von Holt* 86
- Translation of mitochondrial proteins in digitonin-treated rat hepatocytes, *S. Kúzela, A. Wielburski, B. D. Nelson* 89
- Cyclic AMP-dependent protein kinase of yeast, *J. Sy, M. Roselle* 93
- Isolation and structural organization of the human corticotropin- $\beta$ -lipotropin precursor gene, *H. Takahashi, Y. Teranishi, S. Nakanishi, S. Numa* 97
- Rapid modulation of acetylcholine receptor synthesis, *L. Pezzementi, J. Schmidt* 103
- Phenothiazines inhibit prolactin secretion in vitro: A possible role for calmodulin in stimulus-secretion coupling in the pituitary, *J. E. Merritt, S. Tomlinson, B. L. Brown* 107

Stimulation by vasopressin and angiotensin of phospholipid methyltransferase in isolated rat hepatocytes, <i>S. Alemany, I. Varela, J. M. Mato</i>	111
Retinol and retinoic acid modulate the metabolism of 25-hydroxyvitamin D <sub>3</sub> in kidney cell culture, <i>U. Trechsel, H. Fleisch, A. Monod</i>	115
In vitro synthesis and degradation of collagen by chick chondrocytes and fibroblasts, <i>M. Duchêne, S. Wiedebusch, K. Kühn, P. K. Müller</i>	119
Effects of phospholipid composition on activities of bacteriorhodopsin in reconstituted purple membrane, <i>F. Ramirez, H. Osaki, S.-I. Tu</i>	123
Use of a fluorescent sterol to probe the transbilayer distribution of sterols in biological membranes, <i>F. Schroeder</i>	127
Use of an intramolecularly quenched fluorogenic substrate for study of a thiol-dependent acidic dipeptidyl carboxypeptidase in cellular extracts and in living cells, <i>G. Fleminger, D. Goldenberg, A. Yaron</i>	131
The pressure dependence of the histidine ring protonation constant studied by <sup>1</sup> H HR-NMR, <i>J. Hauer, K. Müller, H.-D. Lüdemann, R. Jaenicke</i>	135
Active site-directed inhibition of galactosidases by conduritol C epoxides (1,2-anhydro- <i>epi</i> - and <i>neo</i> -inositol), <i>G. Legler, M. Herrchen</i>	139
The carbohydrate moiety in hemoglobin A <sub>1C</sub> is present in the ring form, <i>R. W. Fischer, K. H. Winterhalter</i>	145
Is the acid phosphatase of <i>Escherichia coli</i> with pH optimum of 2.5 a polyphosphate depolymerase? <i>E. Dassa, P.-L. Boquet</i>	148
The nucleotide sequence of a minor 5 S RNA species from <i>Lactobacillus viridescens</i> , <i>L. J. Alexander, T. S. Stewart</i>	151
The proteins of donor tRNA-binding site of <i>Escherichia coli</i> ribosomes, <i>S. N. Vladimirov, D. M. Graifer, G. G. Karpova</i>	155
Affinity labelling of yeast hexokinase with benzylamide derivatives of adenosine mono- and triphosphates bearing an alkylating group, <i>V. N. Buneva, E. Yu. Dobrikova, D. G. Knorre, I. O. Pacha, T. A. Chimitova</i>	159
<i>M<sub>r</sub></i> -Values of mature subunits I and III of beef heart cytochrome <i>c</i> oxidase in relationship to nucleotide sequences of their genes, <i>V. M. Darley-Ussmar, S. D. Fuller</i>	164
Domain structure of bacteriophage fd adsorption protein, <i>J. Armstrong, R. N. Perham, J. E. Walker</i>	167
Photoaffinity labeling of chromatin: Nuclease-sensitive chromatin shows preferential labeling of histone H <sub>1</sub> , <i>P. E. Nielsen</i>	173
Separation of thylakoid pigment-protein complexes by SDS-sucrose density gradient centrifugation, <i>J. Argyroudi-Akoyunoglou, H. Thomou</i>	177
Acyl-CoA may be a neglected product in studies of fatty acid synthesis by isolated chloroplasts, <i>P. G. Roughan, C. R. Slack</i>	182
The production of oxygen-derived radicals by neutrophils from selenium-deficient cattle, <i>J. R. Arthur, R. Boyne, H. A. O. Hill, M. J. Okolow-Zubkowska</i>	187
Studies on the C1r-binding site of rabbit C1s by plasmin fragmentation, <i>S. Taniuchi, S. Shimada, Y. Mori, J. Koyama</i>	191
Consequences of binding equilibrium constant and intrinsic activity heterogeneity on ligand biological activity, <i>P. Carayon</i>	195
Effect of insulin on glucose transport and metabolism in adipose tissue and skeletal muscle of hypophysectomized rats, <i>J. Zapf, M. Waldvogel, E. Schoenle, E. R. Froesch</i>	199
Presence of fructose-6-phosphate,2-kinase in pancreatic islets, <i>W. J. Malaisse, F. Malaisse-Lagae, A. Sener</i>	203
The differential detergent solubilization of adenylate cyclase and polypeptides ADP-ribosylated with cholera toxin suggests an excess of G/F protein relative to adenylate cyclase in rat pancreatic plasma membranes, <i>M. Svoboda, J. Furnelle, J. Christophe</i>	207
ATP depletion increases Ca <sup>2+</sup> uptake by synaptosomes, <i>K. E. O. Åkerman, D. G. Nicholls</i>	212
K <sup>+</sup> -Stimulated release of endogenous glutamate, GABA and other amino acids from neuron- and glia-enriched cultures of the rat cerebellum, <i>B. R. Pearce, G. R. Dutton</i>	215

Epinephrine activation of phosphofructokinase in perfused rat heart. Regulation via $\alpha$ -adrenergic receptor mechanism independent of phosphorylation, <i>G. S. Patten, O. H. Filsell, M. G. Clark</i>	219
Notes to Authors	223
<b>FEBS News</b>	
Special FEBS Meeting on Cell Function and Differentiation, Athens, 25–29 April 1982	224
<b>Hypothesis</b>	
Tumor induction of host leucine starvation, <i>P. A. Lazo</i>	229
<b>Research Letters</b>	
Amino acid sequences of the cardiac L-2A, L-2B and gizzard 17 000- $M_r$ light chains of chicken muscle myosin, <i>G. Matsuda, T. Maita, Y. Kato, J.-I. Chen, T. Umegane</i>	232
Purification of high- $M_r$ microtubule proteins MAP1 and MAP2, <i>S. A. Kuznetsov, V. I. Rodionov, V. I. Gelfand, V. A. Rosenblat</i>	237
Microtubule-associated protein MAP1 promotes microtubule assembly, <i>S. A. Kuznetsov, V. I. Rodionov, V. I. Gelfand, V. A. Rosenblat</i>	241
Multiplicity of mitochondrial proteinases in yeast, <i>L. A. Novikova, A. S. Zubatov, V. N. Luzikov</i>	245
A re-evaluation of the role of fatty acid in the physiological regulation of the proton conductance of brown adipose tissue mitochondria, <i>R. M. Locke, D. G. Nicholls</i>	249
Activation of pyruvate carboxylase from <i>Aspergillus nidulans</i> by acetyl-CoA, <i>S. A. Osmani, M. C. Scrutton</i>	253
Blue fluorescence and crosslinking of photooxidized proteins, <i>E. Fujimori</i>	257
Does the acceptor $Q_2$ fulfil an indispensable function in the primary reactions of photosystem II? <i>J. M. Bowes, P. Horton, D. S. Bendall</i>	261
Some observations on the chemistry of $KO_2$ -DMSO solutions, <i>R. L. Arudi, A. O. Allen, B. H. J. Bielski</i>	265
The electrostatic potential of a model phosphatidylcholine mono- and bilayer, <i>K. Zakrzewska, B. Pullman</i>	268
Dinoflagellate luciferin is structurally related to chlorophyll, <i>J. C. Dunlap, J. W. Hastings, O. Shimomura</i>	273
Topography of the iron-sulphur subunit in mitochondrial ubiquinol:cytochrome <i>c</i> reductase, <i>Y. Li, S. de Vries, K. Leonard, H. Weiss</i>	277
Mechanism of foetal wastage following immunoneutralisation of riboflavin carrier protein in the pregnant rat, <i>C. V. R. Murty, P. R. Adiga</i>	281
The deacylation of rat platelet phospholipids during thrombin-induced aggregation studied by a fluorescence method, <i>C. Wolf, L. Sagaert, G. Béréziat, J. Polonvski</i>	285
G-Actin-tubulin interaction, <i>A. B. Verkhovsky, I. G. Surgucheva, V. I. Gelfand, V. A. Rosenblat</i>	290
Primary and secondary cleavage sites in the bait region of $\alpha_2$ -macroglobulin, <i>S. B. Mortensen, L. Sottrup-Jensen, H. F. Hansen, T. E. Petersen, S. Magnusson</i>	295
Human $\alpha_1$ -antitrypsin: Carbohydrate attachment and sequence homology, <i>R. W. Carrell, J.-O. Jeppsson, L. Vaughan, S. O. Brennan, M. C. Owen, D. R. Boswell</i>	301
A rat liver microsomal carboxyesterase and a bilirubin UDP-glucuronyl transferase are responsible for the formation of bilirubin glucuronides from bilirubin dimethyl ester, <i>B. Burchell, G. B. Odell</i>	304
Corrigenda	309

Addendum and Erratum	311
Errata	313
Author Index	315
Table of Contents	319
Notes to Authors	323
<b>FEBS News</b>	
Special FEBS Meeting on Cell Function and Differentiation, Athens, 25–29 April 1982	324